Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	(delivery with (recipient receiver) with (sender)) with (public and private) near key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/28 17:24
S2	27	(server with (recipient receiver) with (sender)) with (public and private) near key and (encrypt\$3 near3 server near3 (public near key))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 12:11
S4	21	(server with (recipient receiver) with (sender)) with (public and private) near key and (encrypt\$3 near3 server near3 (public near key)) and deliver\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/28 17:41
S5	0	(trasnmitr\$3 with sender with recipient with (public near key))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 12:17
S6	64	(transmit\$3 with sender with recipient with (public near key))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 12:18
S7	4	(transmit\$3 with sender with recipient with (public near key)) and (delivery with (recipient receiver) with (sender))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 12:18
S8	1	((delivery near agent) with (recipient receiver) with (sender)) and (public and private) near key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 12:47

			1		<del></del>	
S9	10	((delivery near agent) with (recipient receiver) with (sender))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/27 12:48
S10	0	(secure near3 deliver\$3) with client with server with (public and private) near key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/28 17:15
S11	4	(secure near3 deliver\$3) with (sender recipient receiver client) with (sender recipient receiver server) with (public and private) near key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/28 17:16
S12	7	(secure near3 (transfer\$3 deliver\$3)) with (sender recipient receiver client) with (sender recipient receiver server) with (public and private) near key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/28 17:19

[						
S13	78	· ·	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/28 17:19
		"5751813"   "5751814"   "5764918"   "5767847"   "5768271"   "5790790"   "5799086"   "5802286"   "5812669"   "5812671"   "5825865"   "5832218"   "5841865"   "5845074"   "5848248"   "5850451"   "5850519"   "5864667"   "5872848"   "5872848"   "5912974"   "5915024"   "5948103"   "5956406"   "5982506"   "6009173"   "6035104"   "6038541"   "6044462"   "6055575"   "6061448"   "6064878"   "6079020"   "6081610"				-
		"6085322"   "6092113"   "6092200"   "6119137"   "6173399"   "6226748").PN. OR ("6988199"). URPN.				
<b>S14</b>	172	(delivery with (recipient receiver) with (sender)) and (public and private) near key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/28 17:24
S15	16	(delivery with (recipient receiver) with (sender)) and (public and private) near key and barcode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/28 17:30

S16	3	"20020004902"	US-PGPUB;	OR	OFF	2007/03/28 17:31
			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	•		
S17	2	"20020004902" and (public near3 OC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/28 17:31
S18	2	"20020004902" and (public near3 OC) with recipient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/28 17:31
S19	2729	(server with (recipient receiver) with (sender))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/28 17:41
S20	114	(server with (recipient receiver) with (sender)) with (public near key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/28 17:41
S21	80	(server with (recipient receiver) with (sender)) with (public near key) same (private secret) near key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/28 17:43
S22	32	(server with (recipient receiver) with (sender)) with (public near key) same (private secret) near key and (encrypt\$3 with server near (public near key))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/28 18:42

S23	19007	deliver\$3 near3 server	US-PGPUB;	OR	OFF	2007/03/28 18:42
323	19007	· ·	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S24	160	deliver\$3 near3 server with (recipient receiver) with (sender)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/28 18:43
S25	265	deliver\$3 near3 server with (recipient receiver) with (send\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/28 18:43
S26	10	deliver\$3 near3 server with (recipient receiver) with (send\$3) with (public near key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/28 18:43
S27	5	deliver\$3 near3 server with (recipient receiver) with (send\$3) with (public near key) and (server near public near key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/28 18:46
S28	5	deliver\$3 near3 server with (recipient receiv\$3) with (send\$3) with (public near key) and (server near public near key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/28 18:46
S29	5	deliver\$3 near3 (system server) with (recipient receiv\$3) with (send\$3) with (public near key) and (server near public near key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/28 18:59

	•	·	T			
S30	2	"6550012".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/28 18:59
S31	2	"20040044758"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 10:07
S32	4024	(public near switch near telephone near network) (PSTN) with (public near key) with (receiver recipient client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 10:08
S33	4024	(public near switch near telephone near network) (PSTN) with (public near key) with (receiver recipient client) with (sender server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 10:08
S34	0	((public near switch near telephone near network) (PSTN)) with (public near key) with (receiver recipient client) with (sender server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 10:08
S35	0	((public near switch near telephone near network) (PSTN)) with (public near key) with (receiver recipient client)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 10:08
S36	157	((public near switch near telephone near network) (PSTN)) and(public near key) with (receiver recipient client) with (sender server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 10:09

				···		
S37	0	((public near switch near telephone near network) (PSTN)) same(public near key) with (receiver recipient client) with (sender server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 10:09
S38	127	((public near switch near telephone near network) (PSTN)) and(public near key) with (receiver recipient client) with (sender server) and (deliver\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 10:14
S39	4	((public near switch near telephone near network) (PSTN)) and(public near key) with (receiver recipient client) with (sender server) and (deliver\$3) with (encrypt\$3) with (public near key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 10:16
S40	2	((delivery near agency)) and(public near key) with (receiver recipient client) with (sender server) and (deliver\$3) with (encrypt\$3) with (public near key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 10:20
S41	4	("2002/0138759").URPN.	USPAT	OR	OFF	2007/03/29 10:20
S42	0	S41 and (deliver\$3 near agency)	USPAT	OR	OFF	2007/03/29 10:20
S43	32	((delivery near (system network server agency))) and (public near key) with (receiver recipient client) with (sender server) and (deliver\$3) with (encrypt\$3) with (public near key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 15:10
S44	9	((delivery near (system network server agency))) and (public near key) with (receiver recipient client) with (sender server) and ((deliver\$3) near3 (encrypt\$3) near3 (public near key))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 10:28
S45	0	("2005/0257057").URPN.	USPAT	OR	OFF	2007/03/29 10:33

				I		
S46	19	((delivery near (system network server agency))) and (public near key) with (receiver recipient client) with (sender server) and (deliver\$3) with (encrypt\$3) with (public near key) and (sender with recipient with information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 10:35
S47	8	((delivery near (system network server agency))) and (public near key) with (receiver recipient client) with (sender server) and (deliver\$3) with (encrypt\$3) with (public near key) and (sender near3 recipient near3 information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 10:38
S48	60	server near2 (public near key) with encrypt\$3 with (sender receiver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 10:39
S49	33	server adj2 (public near key) with encrypt\$3 with (sender receiver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 10:43
S50	92	("20040128524" "20020138759" "5552897" "6061448" "6061448" "6145079" "6199052" "6199054" "6285991" "6308277" "6442571" "6446115" "6785812" "7142676" "20020016910" "20020082997" "20020172367" "20030101346" "20030237005" "20040221014" "20050198170" "20060129629" "6996724" "20010036275" "20050102526" "5712907" "6032192" "6044405" "6385655" "6732101" "6988199" "7082538" "7196807" "20020004902" "20020013897" "20020032853" "20020091928" "20020101998" "20020104026" "20020129238" "20040025014" "20040025057" "20040139314" "20050198511" "20060095770" "5404231" "6038296" "4580012" ).pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 11:08

S51	6	S50 and encrypt\$3 with (message data information) with (server deliver\$3 (post near office) agency) near2 (public near key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 11:16
S52	234	encrypt\$3 near3 (message data information) near3 (server deliver\$3 (post near office) agency) near2 (public near key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 11:17
S53	100	encrypt\$3 near3 (message data information) near3 (server deliver\$3 (post near office) agency) near2 (public near key) and sender with (send\$3 output\$4 deliver\$3) with (data message information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 11:26
S54	79	encrypt\$3 near3 (message data information) near3 (server deliver\$3 (post near office) agency) near2 (public near key) and sender with (send\$3 output\$4 deliver\$3) with (data message information) and (send\$3 transmit\$4 deliver\$3) with (recipient receiver) with (information data message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 11:30
S55	1	encrypt\$3 near3 (program software module) with (deliv\$5 near (server system agency)) with download\$3 with (clinet receiver recipient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 11:31
S56		encrypt\$3 near3 (program software module) with (deliv\$5 near (server system agency)) with download\$3 with (client receiver recipient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 11:32
S57	24	encrypt\$3 near3 (program software module) with (deliv\$5 near (server system agency))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 11:32

S58	1	encrypt\$3 near3 (program software module) with (deliv\$5 near (server system agency)) same (reciev\$3 recipient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 11:33
S59	9	encrypt\$3 near3 (program software module) with (deliv\$5 near (server system agency)) and (reciev\$3 recipient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/03/29 11:41
S60	0	federat\$3 with key with mail with sender with receiver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF .	2007/03/29 11:42
S61	0	federat\$3 with mail with sender with receiver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 11:42
S62	15	federat\$3 with mail	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 11:43
S63	52	(key near server) with (receiver recipient) with (sender)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 11:44
S64	10	(key near server) with (receiver recipient) with (sender) and (deliver\$3 near (server agent system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 11:51

CCE		31	LIC DCDUB	00	OFF	2007/02/20 12:17
S65	6	secur\$3 near3 secrecy with sender with recipient	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 12:17
S66	8	secrecy with sender with recipient with (information data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 12:22
S67	326	key near server with (public and private) near key  •	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2007/03/29 13:16
S68	38	key near server with (public and private) near key and (key near server) near (public near key) near encrypt\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/03/29 13:03
S69	. 24	key near server with (public and private) near key same (key near server) near (public near key) near encrypt\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 15:07
S70	19	key near server with (public and private) near key same (key near server) near (public near key) near encrypt\$3 and (name address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/03/29 13:12
S71	0	key near server with (public and private) near key same (key near server) near (public near key) near encrypt\$3 and (name address) and (bar near code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 13:09

S72		key near server with (public and private) near key same (key near server) near (public near key) near encrypt\$3 and encrypt\$3 near3 (name address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 13:10
S73	10	key near server with (public and private) near key same (key near server) near (public near key) near encrypt\$3 and (name address) and (sender and (receiver recipient))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 15:54
S74	5	key near server with (public and private) near key and (sender with attach\$3 with encrypt\$3 with (package information data message))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 14:00
S75	2	(send\$3 transmit\$3) with (encrypt\$3 near (name address destination) with (receiver recipient)) with (server with public with key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 14:12
S76	10	("5682430"   "5748735"   "5812671"   "5909491"   "6021200").PN. OR ("6377688"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/29·14:09
S77	9	(send\$3 transmit\$3) with (encrypt\$3 near (name address destination)) with (server with public with key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 14:17
S78	7	S77 not S75	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	. OFF	2007/03/29 14:23

S79	64	(encrypt\$3 with ((home near address) (delivery near information) (map destination)) with (public near key with (server)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 14:24
S80	5	(encrypt\$3 with ((home near address) (delivery near information) (map destination)) with (public near key with (key near server)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/03/29 14:27
S81	0	(encrypt\$3 with ((home near address) with (key near server)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 14:26
S82	0	(encrypt\$3 with ((home near address) same (key near server)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 14:26
S83	0	(encrypt\$3 with ((home near address) and (key near server)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 14:26
S84	46	(encrypt\$3 with ((home near address)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 14:26
S85	2	(encrypt\$3 near2 ((home near address)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 14:26

S86	4	(encrypt\$3 with (name) with (public near key with (key near server)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/03/29 15:06
S87	1	(receiver with request\$3 with (public near key) near (key near server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 15:06
S88	93	(request\$3 with (public near key) near (key near server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 15:07
S89	16	(request\$3 near (public near key) near (key near server))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 15:07
S90	2	key near server with (public and private) near key same (key near server) near (public near key) near encrypt\$3 and request\$3 near public near key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 15:09
S91	0	key near server with (public and private) near key same (key near server) near (public near key) near encrypt\$3 and request\$3 near public near key near server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 15:09
592	11	key near server with request\$3 near public near key near server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 15:09

S93	0	((delivery near (system network server agency)) (key near server)) and (public near key) with (receiver recipient client) with (sender server) and (deliver\$3) with (encrypt\$3) with (public near key) and request\$3 near public near key near server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/03/29 15:10
S94	10	((delivery near (system network server agency)) (key near server)) and (public near key) with (receiver recipient client) with (sender server)with (public near key) and request\$3 near public near key near server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 15:11
S95	41	request\$3 near3 (public near key) near3 (key near server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 15:55
S96	5	request\$3 near3 (public near key) near3 (key near server) same encrypt\$3 near3 (information data messgae)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 15:56
S97	9	request\$3 near3 (public near key) near3 (key near server) and encrypt\$3 near3 (information data messgae) and (deliver\$3 near (server system agency))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 15:56
S98	7	request\$3 near3 (public near key) near3 (key near server) and encrypt\$3 near3 (information data messgae) and (deliver\$3 near (server system agency)) and sender and (recipient receiver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 15:59
S99 .	27	request\$3 near3 (public near key) near3 (key near server) and encrypt\$3 near3 (information data messgae) and sender and (recipient receiver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 16:04

S10 0	4	380/277.ccls. and request\$3 near3 (public near key) near3 (key near server) and encrypt\$3 near3 (information data messgae) and sender and (recipient receiver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 16:02
S10 1	7	server near public near key near request\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 16:08
S10 2	114	server near public near key with request\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 16:15
S10 3	20	key adj server adj3 public near key with request\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 16:10
S10 4	. 2	key adj server adj3 public near key with request\$3 with sender	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 16:13
S10 5	14	server adj3 public near key with request\$3 with sender	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 16:14
510 6	7	server near public near key near request\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/29 16:15